


LANDSCAPE LIGHTING



QTL.lighting

SPECIFICATION GRADE LANDSCAPE FIXTURES

INTERCHANGEABLE HOOD

- 6 options across 5 families
- Compression fit and threaded hood options



6061 MARINE GRADE MACHINED ALUMINUM *

- .16" thick aluminum, double the thickness of many landscape lighting manufacturers

SETSCREWS

- Set screw placement allows for easy access during maintenance and enhanced protection from moisture.



LENSES / FILTERS

- Flood accent fixtures accept up to 3 lens or louver accessories
- Factory sealed clear tempered borosilicate glass lens.
- True flush lens bezel option eliminates moss and debris build up.



8 POWDER COAT FINISHES

- Anodized + Powdercoat allows for superior corrosion resistance and a 5 year warranty.



HIGH TEMPERATURE MOLDED SILICONE WIRE PASS-THROUGH

- Prevents water leaking into lamp compartment

TAPERED MACHINED KNUCKLES

- Infinitely adjustable vertical rotation
- Stainless Steel hardware
- Anodized locking jam nut
- 360-degree adjustment accessory available
- Single sided locking knuckle

*6061 Alloy: Workability and Corrosion Resistance Aluminum 6061 is a highly versatile alloy for use in marine grade applications. It has excellent corrosion resistance and other mechanical properties. Under the annealed condition, it possesses solid workability and different techniques are used when fabricating this aluminum alloy.



FLOOD ACCENT

Flood and accent lights are designed for uplighting or downlighting applications. Suitable for ground, tree, or surface mounting, these fixtures feature adjustable glare shields for 360° drainage. Available in aluminum with integrated or lamped versions.



DOWN LIGHTS

Down lights are ideal for ambient or accent lighting. Suitable for mounting on pergolas, trees, or surfaces. All fixtures require a remote transformer.



PATH / AREA

Path and area lights provide illumination for walkways, gardens, and open spaces. These fixtures enhance safety and define landscape boundaries.



WALL MOUNTED

Wall mounted fixtures are for wall lighting applications. These fixtures are available in single or dual styles with three mounting plate options.

All 12V fixture require a remote transformer.



LANDSCAPE POWER

QTL's award-winning Q-SCAPE direct burial power supply system offers all the components needed to illuminate Excelsior fixtures. Q-SET and Q-HEX power supplies are fully potted for additional environmental protection and designed to work with our IP68 rated Q-VAULT-5 and Q-TRIX enclosures.



UPLIGHTS

Uplights provide focused illumination for architectural and landscape features. Compatible with ground, tree, or surface mounting. Mounts are sold separately.



IN GROUND

In-ground and well lights offer direct burial solutions for uplighting. Features include hot aiming and adjustable optics. All 12V fixtures require a remote transformer.



STEP

Step lights are available for surface, recessed J-Box, or core-drilled installations. Custom modifications are available for unique site conditions. All 12V fixtures require a remote transformer.



SPECIALTY MOUNTS

Specialty mounts provide secure installation for any landscape lighting setup. Options include stakes, tree mounts, surface mounts, and protective light boxes or covers - each designed for durability, ease of installation, and seamless integration.



PENDANTS

Pendant lights offer durable, suspended illumination for covered patios, pergolas, and outdoor structures. Optional stainless steel cables enhance stability for glare shield fixtures, ensuring lasting performance in outdoor environments.

